



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
Division CSI – Centre of Civil Engineering



Notified Body No. 1023

CERTIFICATE OF CONSTANCY OF PERFORMANCE No. 1023–CPR–1207 P

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) this certificate applies to the construction product:

Product: **Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings according to list given in the annex to the certificate**

Type/variant: **according to list given in the annex to the certificate**

Manufacturer: **ROCKWOOL Polska, Sp. z o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice
Poland

Manufacturing plant: **ROCKWOOL Polska, Sp. z o.o.**
ul. Kwiatowa 14, PL 66-131 Cigacice (product line CIG1, CIG3, CIG4)
Poland

Harmonised standard: EN 13162:2012+A1:2015

Certificate first issued: 14.02.2022

This certificate attests that:

- all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the harmonised standard under system 1 for the performance set out in this certificate are applied
- the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

The findings are summarized in the Certification Report No. 755200816/2025.

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Issued in Prague:

Change j)

08.12.2025

(Replaces the certificate No. 1023-CPR-1207 P / Change i) dated 12.11.2025)



Mgr. Jiří Heš

Representative of the Notified Body No. 1023



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
 třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
 Division CSI – Centre of Civil Engineering



Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P
 The certificate covers the following products of the manufacturing plant
ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
 (production line CIG1, CIG3, CIG4)
 Page 1 of 5

Trade mark	Thickness mm	Manufacturer's declared thermal conductivity $W \cdot m^{-1} \cdot K^{-1}$	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
BLOCZEK TRAPEZOWY	40-200	0,036	A1	MW-EN 13162-T3-WS-MU1	CIG3 CIG4
CB ROCK	40-200	0,038	A1	MW-EN 13162-T4-DS(70,90)-TR7,5-PL(6)100-WS-MU1	CIG1 CIG3 CIG4
CONLIT 150P	15-150	0,036	A1	MW-EN 13162-T4-DS(23,90)-TR3-WS-MU1	CIG3
CONLIT 150A/F	25-150	0,036	A1	MW-EN 13162-T4-DS(23,90)-TR3-WS	CIG3
DACHROCK	40-150	0,040	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	CIG3
DACHROCK	40-200	0,040	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	CIG1
DUROCK	50-200	0,040	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)60*-TR10-PL(5)700-WS-WL(P)-MU1 * for top layer CS(10)80	CIG1
FIREROCK	25-50	0,038	A1	MW-EN 13162-T3-CS(10)0,5-WS	CIG1 CIG3 CIG4
FRONTROCK L	40-400	0,041	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)Y40-TR80-WS-WL(P)-MU1	CIG1 CIG3
FRONTROCK PLUS	60-300	0,035	A1	MW-EN 13162-T5-DS(70,90)-CS(10)20-TR10-WS-WL(P)-MU1	CIG1
FRONTROCK PREMIUM	80-200	0,034	A1	MW-EN 13162-T5-DS(70,90)-CS(10)20-TR10-WS-WL(P)-MU1	CIG1
FRONTROCK S	20-50	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10)30-TR10-WS-WL(P)-MU1	CIG3
FRONTROCK SUPER	80-280	0,036	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)20-TR10-WS-WL(P)-MU1	CIG1



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
 třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
 Division CSI – Centre of Civil Engineering

Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P
 The certificate covers the following products of the manufacturing plant
 ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
 (production line CIG1, CIG3, CIG4)
 Page 2 of 5

Trade mark	Thickness mm	Manufacturer's declared thermal conductivity $W \cdot m^{-1} \cdot K^{-1}$	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
FRONTROCK SUPER	80-200	0,036	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)20-TR10-WS-WL(P)-MU1	CIG3
HARDROCK MAX	50-200	0,040	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)70*-TR10-PL(5)800-WS-WL(P)-MU1 * for top layer CS(10)90	CIG1
HARDROCK PLUS	50-240	0,037	A1	MW-EN 13162-T5-DS(70,90)-CS(10)50*-TR10-PL(5)700-WS-WL(P)-MU1 * for top layer CS(10)70	CIG1
HARDROCK SOLARIS	50-160	0,039	A1	MW-EN 13162-T4-DS(70,90)-CS(10)70*-TR10-PL(5)1000-WS-WL(P)-MU1 *) for top layer CS(10)100	CIG1
HARDROCK 1000	50-200	0,040	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)70*-TR10-PL(5)1000-WS-WL(P)-MU1 * for top layer CS(10)90	CIG1
HARDROCK 040	50-160	0,039	A1	MW-EN 13162-T4-DS(70,90)-CS(10)70-TR10-PL(5)1000-WS-MU1	CIG1
MONROCK MAX	40-79	0,040	A1	MW-EN 13162-T4-DS(70,90)-CS(10)40-TR7,5-PL(5)350-WS-WL(P)-MU1	CIG1 CIG3 CIG4
MONROCK MAX	80-200	0,039	A1	MW-EN 13162-T4-DS(70,90)-CS(10)40-TR7,5-PL(5)400-WS-WL(P)-MU1	CIG1 CIG3 CIG4
MONROCK MAX E	50-250	0,038	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)40*-TR10-PL(5)650-WS-WL(P)-MU1 * for top layer CS(10)70	CIG1



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
 třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
 Division CSI – Centre of Civil Engineering

Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P
 The certificate covers the following products of the manufacturing plant
ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
 (production line CIG1, CIG3, CIG4)

Page 3 of 5

Trade mark	Thickness mm	Manufacturer's declared thermal conductivity W.m ⁻¹ .K ⁻¹	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
MONROCK PRO	80-250	0,037	A1	MW-EN 13162-T4-DS(70.-)-DS(70,90)-CS(10)40*-TR10-PL(5)500-WS-WL(P)-MU1 * for top layer CS(10)60	CIG1
MONROCK PRO	80-200	0,037	A1	MW-EN 13162-T4-DS(70.-)-DS(70,90)-CS(10)40*-TR10-PL(5)500-WS-WL(P)-MU1 * for top layer CS(10)60	CIG3
RAW	30-40	0,036	A1	MW-EN 13162-T3-WS-MU1	CIG4
ROCKFALL	40-150	0,040	A1	MW-EN 13162-T5-DS(70.-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	CIG3
ROCKFALL	40-200	0,040	A1	MW-EN 13162-T5-DS(70.-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	CIG1
ROCKMIN	40-49 50-99 100-200	0,039	A1	MW-EN 13162-T2-WL(P)-MU1 MW-EN 13162-T2-WL(P)-MU1-AW0,85 MW-EN 13162-T2-WL(P)-MU1-AW1,00	CIG3
ROCKMIN PLUS	40-49 50-99 100-200	0,037	A1	MW-EN 13162-T2-WL(P)-MU1 MW-EN 13162-T2-WL(P)-MU1-AW0,85 MW-EN 13162-T2-WL(P)-MU1-AW1,00	CIG3
ROCKLIT	20-200	0,042	A1	MW-EN 13162-T4-TR7,5-WS-MU1	CIG1 CIG3 CIG4



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
 třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
 Division CSI – Centre of Civil Engineering



Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P
 The certificate covers the following products of the manufacturing plant
ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
 (production line CIG1, CIG3, CIG4)

Page 4 of 5

Trade mark	Thickness mm	Manufacturer's declared thermal conductivity W.m ⁻¹ .K ⁻¹	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
ROCKROLL	100-200	0,044	A1	MW-EN 13162-T1-WL(P)-MU1	CIG3
ROCKROLL SUPER	80-200	0,036	A1	MW-EN 13162-T2-MU1	CIG3
ROCKSLAB	50-200	0,042	A1	MW-EN 13162-T2-MU1	CIG3
ROCKSLAB ACOUSTIC	50-99	0,036	A1	MW-EN 13162-T3-WL(P)-MU1-AW0,90	CIG3
	100-150			MW-EN 13162-T3-WL(P)-MU1-AW0,95	CIG4
ROCKSLAB PLUS	40-200	0,037	A1	MW-EN 13162-T2-WL(P)-MU1	CIG3
ROCKSLAB SONIC	50-99	0,036	A1	MW-EN 13162-T3-CS(10)0,5-MU1-AW0,70	CIG3
	100-200			MW-EN 13162-T3-CS(10)0,5-MU1-AW0,95	CIG4
ROCKSLAB SUPER	40-49	0,036	A1	MW-EN 13162-T2-WL(P)-MU1	
	50-99			MW-EN 13162-T2-WL(P)-MU1-AW0,75	CIG3
	100-200			MW-EN 13162-T2-WL(P)-MU1-AW0,95	
ROCKTON	40-49	0,035	A1	MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1	CIG3
	50-99			MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1-AW0,90	CIG4
	100-200			MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1-AW0,95	
ROCKTON SUPER	40-49	0,035	A1	MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1	
	50-99			MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1-AW0,90	CIG3
	100-200			MW-EN 13162-T3-CS(10)0,5-WL(P)-MU1-AW0,95	
ROOFROCK 30E	50-250	0,036	A1	MW-EN 13162-T4-DS(70,90)-CS(10)30-WS-WL(P)-MU1	CIG1
ROOFROCK 30E	70-200	0,036	A1	MW-EN 13162-T4-DS(70,90)-CS(10)30-WS-WL(P)-MU1	CIG3



INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s.
 třída Tomáše Bati 299, Louky, 763 02 Zlín, Czech Republic
 Division CSI – Centre of Civil Engineering



Annex to the Certificate of Constancy of Performance 1023-CPR-1207 P

The certificate covers the following products of the manufacturing plant
ROCKWOOL Polska, Sp. z o.o., ul. Kwiatowa 14, PL 66-131 Cigacice, PL
 (production line CIG1, CIG3, CIG4)

Page 5 of 5

Trade mark	Thickness mm	Manufacturer's declared thermal conductivity W.m ⁻¹ .K ⁻¹	Reaction to fire	Manufacturer's declared type code according to EN 13162	Line
ROOFROCK 30E WG	50-250	0,036	A1	MW-EN 13162-T4-DS(70,90)-CS(10)30-WS-WL(P)-MU1	CIG1
ROOFROCK 40	50-250	0,038	A1	MW-EN 13162-T5-DS(70,90)-CS(10)40-TR10-PL(5)400-WS-WL(P)-MU1	CIG1
ROOFROCK 40	80-200	0,038	A1	MW-EN 13162-T5-DS(70,90)-CS(10)40-TR10-PL(5)400-WS-WL(P)-MU1	CIG3
ROOFROCK 40 PLUS	50-240	0,036	A1	MW-EN 13162-T5-DS(70,90)-CS(10)40-WS-WL(P)-MU1	CIG1
STALROCK MAX	50-210	0,034	A1	MW-EN 13162-T3-WS-MU1	CIG3
STALROCK MAX F	40-200	0,036	A1	MW-EN 13162-T3-WS-MU1	CIG4
SUPERROCK	40-49	0,035	A1	MW-EN 13162-T2-WL(P)-MU1	CIG3
	50-99			MW-EN 13162-T2-WL(P)-MU1-AW0,75	
	100-200			MW-EN 13162-T2-WL(P)-MU1-AW1,00	
TOPROCK PREMIUM	100-200	0,035	A1	MW-EN 13162-T2-WL(P)-MU1	CIG3
TOPROLL SUPER	80-200	0,036	A1	MW-EN 13162-T2-MU1	CIG3
WPI PLUS 35	30-50	0,035	A2-s1,d0	MW-EN 13162-T4-WS-MU1	CIG4



Jiří Heš

Mgr. Jiří Heš
 Representative of Notified Body No. 1023